



अहिल्यानगर महानगरपालिका,अहिल्यानगर
- बाजार भावाबाबत कोटेशन दरपत्रक नोटीस -



कळविण्यात येते की,अहिल्यानगर महानगरपालिका राष्ट्रमाता जिजाबाई शहाजीराजे भोसले हॉस्पिटल येथे फर्निचर व डिजीटलायझेशन करणेकामी आवश्यक असलेले खालील प्रमाणे साहित्य प्रवठा करून सदर साहित्य नियुक्त पी.एम.सी.(प्रकल्प सल्लागार संस्था) व मा.शहर अभियंता यांचे सुचनेप्रमाणे प्रत्यक्ष ठिकाणी बसवून देणेकामी कोटेशन दरपत्रके मागविण्यात येत आहेत.

अ.नं.	मालचा तपशिल	अंदाजे लागणारा माल
24	Emergency Ward & Private Room Beds Mild steel pre-treated epoxy powder coated full fowler bed with mattress and side railing. It is designed to provide a comfortable and safe sleeping environment for patients. The Bed is designed with MS frame and epoxy powder coated so design finish lasts for long. The Bed also features Head and foot end Panel with ABS material. Features i) Frame Work Made of Rectangular Ms Tube & Thick Layer of Powder Coated Finish for No Rusting Feature. ii) Full Fowler Hospital Bed with Mattress & Side Railing Size 2000 - 2100 mm Length + 900 - 1050 mm Width + 600-750 mm Ht With Comfortable Rixin mattress of 60- 75 mm Thk (All The designs are final as per Doctor and Architects Specifications) Capacity : Patient weight up to 120 Kg	35 Nos
25	ICU Automatic Beds Electric Five Function Bed, Frame Work Made of Rectangular M.S Tube. MS Sheet Mattress Platform in Four Section. Back Rest, Knee Rest, TB/RTB & Hi-Low Positions Obtained by Hand Remote Systems. Features - i) Adujustable height ii) Wheels of 125mm iii) 4 section bed platform fitted with bed trolley iv) 4 ABS Head and Foot Panels (2 Left and 2 Right) v) ISO 13485 : 2016 and ISO 9001 : 2015 Certified standards (All The designs are final as per Doctor and Architects Specifications) Capacity : Patient weight up to 120 Kg	20 Nos
26	General Semi Fowler Bed for Ward patients i) MS Powder Coated and Rixin Mattress with 100 mm thk ii) Urine Bag Hooks Provided on Both Sides. Iii)Provision for Telescopic IV Rod with 4 Locations. V) Size 2000 -2100 mm Length + 900 - 1050 mm Width + 600-750 mm Ht With Comfortable Rixin mattress of 60-75 mm Thik (All The designs are final as per Doctor and Architects Specifications) Capacity : Patient weight up to 120 Kg	100 Nos
27	Attendants Bed Features Legs Fitted With PU Stumps. Legs Fitted with PVC Stumps. 5 cm Foam Padded Top Covered with Rixine.	50 Nos

28	Pediatric Bed The bed has plain lying surface with Mattress 75 mm Thk. The bed provides unparalleled safety with no sharp edges are round and clear understructure. The head and foot panel are equipped ABS Panel Material and full length siderails covering complete length of the bed.The bed is ergonomically designed to ease the physical load on the care giver. The bed is suitable for ward area for patients to recover. Simple ergonomic design with uncluttered understructure makes it easy to maintain. Size (83.9 x 121.8 x 157) 10% Size alter as per design engineer (Sample to be final by Engineer In-charge prior execution of work)	10 Nos
29	Nurse Bay Counter table (Sample to be final by Engineer In-charge prior execution of work)	15 Nos
30	Nursing Trolley (Sample to be final by Engineer In-charge prior execution of work)	40 Nos
31	Wheeled Ambulance Stretcher. The height of this ambulance stretcher is adjustable by pressing the height handles. ii)The surface of the bed table is a foam mattress covered with a waterproof material. iii)Adjustable backrest for higher comfort. iv)With safety lock; patient does not move inside the ambulance. v)Easily handled by one person. vi) The folding legs are controlled by a handle placed on both sides of the stretcher. vii)Collapsible side rails viii)Stretcher can be locked in transport vehicle using brackets ix) Support for IV stand included (Sample to be final by Engineer In-charge prior execution of work)	5 Nos
32	Emergency Stretchers (Sample to be final by Engineer In-charge prior execution of work) Rescue Stretchers assist in quickly transporting injured patients.	5 Nos
33	Hydraulic Stretcher Bed Overall Size (LxWxH) : 210 x 65 x 95 cm Suitable For : Medical examination and treatment purposes. Type of Product : Emergency & Recovery Trolley- Hydraulic (Sample to be final by Engineer In-charge prior execution of work)	5 Nos
34	Folding Stretcher Trolley Dimension (LxBxH):- 72 x 20 x 32 inch (Overall Trolley) Top Stretcher (Dimension):- 18 inch (2 Side Length); 36 inch (Middle) & 20 inch Width	5 Nos
35	Folding Screens with Channel Pipes and required fabricated material and Wheels Stainless Steel 4 Fold Bed Side Screen, 5'6" Height and Standard Fabric As Per Engineers designs and Doctors Requirement	25 Nos
36	BedSide Locker	120 Nos
37	Foot step at OPD for Examination	10 Nos
38	Biomedical Waste Trunks of three compartment (Sample to be final by Engineer In-charge prior execution of work)	18 Nos
39	14 drawer rack (Sample to be final by Engineer In-charge prior execution of work)	10 Nos
40	One Step Rack (7Ft MS and Glass Powder coated)	10 Nos
41	Plain Display Rack (7Ft MS and Glass Powder coated) (Sample to be final by Engineer In-charge prior execution of work)	10 Nos
42	Display counter (Rectangular MS + Korean top with loading 150 Kg)	40 Ft
43	For ICU, Emergency and Labour room Curtains with Curtain rod Flame	75 Nos

	Retardant Hospital Curtain Room Divider with Grommet, Privacy Medical Curtain for Hospital, Medical Clinic, Lab(1 Panel, 12x8FT,Dark Blue / Green) (Sample to be final by Engineer In-charge prior execution of work)	
44	Curtain Channel at ceiling	90 RMt
45	Acrylic LED name display with Backlight as per specified size and directions from Engineer	15 Sq.M.
46	Plus Sign With All Fittings Size 0.75 m X 0.75 m	5 Nos
61	HP Brand Desktop Intel Core I5 I2th Generation , 16 GB DDR 4RAM, 512 GB SSD Win LAN WIFI HDMI Wire key board, Mouse 20" FHD Monitor and 3Year warranty	25 Nos
62	UBIQUITI UAP AC M UNIFI AP AC MESH ACCESS POINT	4 Nos
63	D Link 6 U Rack	1 Nos
64	D Link 24 Port Giga Switch	2 Nos
65	D Link 24 Port Patch Panel	2 Nos
66	D link 2 Mtr patch board	50 Nos
67	D Link 12 U Rack	1 Nos
68	D Link connectors	50 Nos
69	Cable manager	4 Nos
70	Shelf for Rack	2 Nos
71	Rack installation and configuration	1 Nos
72	HIKVISION 16 PORT NVR	1 Nos
73	HIKVISION 2 MP AUDIO DOME METAL CAMERA	40 Nos
74	HIKVISION 2 MP AUDIO BULLET METAL	20 Nos
75	4 TB SV HDD	1 Nos
76	8 PORT GIGA POE Switch	2 Nos
77	D Link 4 U Rack	1 Nos
78	Connectors	20 Nos
79	CAMERA Installation	11 Nos
80	VIEW SONIC ALL IN ONE CONFERENCE CAMERA	2 Nos
82	AMPLIFIER WITH SPEAKERS AND WIRELESS MIKE AND COLLER MIKE	2 Set
83	SITC of 65" Full HD TV VGA DVL, 2 x HDMI, LAN, 2 x USB RGS In out Avin Component in wit ready 20W speakers professional full HD display complete with mounting hardware and software 200 templete included to create your own content manage content with suggested PC or mobile device A professional display backed by three years onsite/offsite warranty and dedicated B2B support (3 years warranty)	2 Each
84	SITC of Mixture amplifier compitable with USB, Bluetooth device of 240 W for public address system suitable to operate on 230 V A.C./ 24 Volts D.C. supply complete as per specification	2 Each
85	Audio Mixxture: 12 Microphone Input / 6 Line input with Phantom power digital effect processor robust, impact resistant power coated metal chasis sound craft EFX12 / Yahama or similar	1 Each
86	Full Range premium ceilin speaker 15 Watt rated power output frequency response 70 to 20 kHz, SPL 89 db, Power tap 20/10/5/2.5 Watt Bosch LC1- PC20G6-6 IN or similar	40 Each

87	Chairman Unit Microphone of flexiable stem 488mm in length and light ring Built in loudspeaker Two headphone socket, compact attractive design Bosch CCSE - DL or similar	2 Each
88	Delagates Unit Microphone of flexiable stem 488mm in length and light ring Built in loudspeaker Two headphone socket, compact attractive design Bosch CCSE - DL or similar (Sample to be final by Engineer In-charge prior execution of work)	2 Each
89	Control and power supply unit with recorder and amplifier supplies power to all contribution units 2 to 6 microphone can be active simultaneously controls upto 50 discussion units, built in 30W power amplifier , built in recorders for recording meeting in USB pendrive / SD Card Interface system with external equipments like mike amplifier etc built in 3 band equiliser for better sound Bosch CCSC CURA or similar	1 Each
90	Supplying, erecting, testing and commissioning of 2 core shielded cable complete as per specification no. FF- PA/MCC	840 Each
91	SITC of smart Board with inbuilt speaker and Desktop Operating system Keyboard Mouse along with 75 INCH 4k,350 nits, of foolowing Specification Display Size - 1722 x 1241 x 38mm, Display Ration - 4:3, Toll bar at Two sides having 18 buttons each side, Infrared Touch Technology having responce object as Fingers, Pen and any Opeque Objects. 10 Points inputs, Resolution - 32768 x 32768,(Sample to be final by Engineer In-charge prior execution of work) size, Cursur speed 180 d/s, Respond speed < 20ms , System support for 7/8/10th gen windows, Linux, Ubuntu 14.04/15.04, Android 4 and up, Mac 10.5, 8GB+128GB SSD with wall mount kit.	1 Each
92	Supplying and erecting 25m HDMI cord low voltage grade minimum 4k compliant to be laid in provided conduits with male/female 19 pin HDMI connectors complete. (Sample to be final by Engineer In-charge prior execution of work)	3 Each
93	Supplying and erecting modular pop up Box 8 module erected with provided AV/ HDMI , RJ 45,6 A electrical sockets and switch on provided table.(Sample to be final by Engineer In-charge prior execution of work)	3 Each
94	Pharmaceutical Refridgerator Double Door with 1006L Capacity, 220 V /50Hz (Sample to be final by Engineer In-charge prior execution of work)	3 Nos
95	Laboratory Refridgerator 1500 L (Sample to be final by Engineer In-charge prior execution of work)	2 Nos

- 1)रुपये पंन्नास हजार ते पाच लक्ष पर्यंतच्या खरेदीस रक्कम रुपये.पाचशे अधिक पाच लाख रुपयांचे वरील प्रत्येकी एक लाखासाठी किंवा त्याच्या भागासाठी रक्कम रुपये.तीनशे फक्तचे स्टॅम्प पेपरवर करारनामा करून दयावा लागेल.
- 2)वर्णनाप्रमाणे मालाचा पोहोच पुरवठा स्वखर्चाने अहिल्यानगर महानगरपालिकेचे सूचनेप्रमाणे प्रत्यक्ष ठिकाणी करावा लागेल.
- 3)कोटेशन दरपत्रकासोबत GST (जी.एस.टी.)नोंदणी प्रमाणपत्र,PAN (पॅन)कार्ड व मुंबई दुकाने व संस्था अधिनियम 1948 नुसार संस्थेचे नोंदणी प्रमाणपत्राची किंवा उदयम नोंदणी प्रमाणपत्राची प्रत जोडणे आवश्यक आहे.
- 4)कोटेशन मध्ये नमुद दर लेबर चार्जेस,इंन्शुरन्स,थर्ड पार्टी इन्पेक्शन,वाहतुक खर्च,बांधणी खर्च,चढ उतार खर्च,GST इ.सर्व कर समाविष्ट तसेच साहित्य अहिल्यानगर महानगरपालिका येथे पोहोच पुरवठ्यासहचे असावेत.

5)कोणतेही कारण न देता कोटेशन स्विकारणे,नाकारणे अथवा रद्द करणे याबाबतचे अंतीम अधिकारी मा.आयुक्त,अहिल्यानगर महानगरपालिका यांना राहतील.

तरी सदर मालाचे बाजारभाव सिलबंद पाकीटात दिनांक. 29/04/2026 ते दिनांक. 05/05/2026 रोजी वाजेपर्यंत स्टोअर विभाग,अहिल्यानगर महानगरपालिका कार्यालयात समक्ष दाखल करावेत.



उपायुक्त(कर)

अहिल्यानगर महानगरपालिका

प्रत :- संगणक विभाग प्रमुख,अहिल्यानगर महानगरपालिका यांस सदरची नोटीस मनपाचे अधिकृत संकेतस्थळावर प्रसिध्द करण्याव यावी.

प्रत :- हवलदार,अहिल्यानगर महानगरपालिका यांस सदरची नोटीस मनपा नोटीस बोर्डवर प्रसिध्द करण्यात यावी.